01.2020
AVANTGATES Products
Published in: January 2020
DCAV01.2020-REV22
© 2020 - SMOES s.r.l.
All rights reserved

GRUPPO GENTILI

www.avantgates.com

Made in ITALY

AVANTGATES®

Vertical Gates - Vertikaltor - Portail à Elévation Verticale - Cancelli ad Alzata Verticale

★★★★★ Oil-Hydraulic POWERED

Residential Series - Privattorserie
Gamme Résidentielle - Serie Residenziale

CE · TÜV SÜD Validated · EN 13241 CERTIFIED · brcgs.com BRCGS compliant

1.x R V50-STD
Lmax. **5,75** m - Hmax. **1,60** m

1.x R V50-XL
Lmax. **5,75** m - Hmax. **2,00** m

3.x R Eco VI-STD
Lmax. **5,75** m - Hmax. **1,80** m

3.x R Eco VI-STD Plus
Lmax. **5,75** m - Hmax. **1,80** m

3.x R Eco NKD
Lmax. **5,75** m

3.x R Eco PNL-C
Lmax. **5,75** m

3.x R Eco PNL-CP Double
Lmax. **7,00** m

3.x R Eco PNL-CA Double
Lmax. **7,00** m

3.x R Eco AFL-C
Lmax. **3,50** m - Hmax. **1,60** m

3.x R Eco AFL-C Double
Lmax. **5,75** m - Hmax. **1,60** m

4.x R HB V-STD (40-20)
Lmax. **5,75** m - Hmax. **1,60** m

4.x R HB V-STD (100-25)
Lmax. **5,75** m - Hmax. **1,60** m

4.x R HB V-A STD
Lmax. **5,75** m - Hmax. **1,60** m

4.x R HB V-PN
Lmax. **5,75** m - Hmax. **1,60** m

4.x R HB V-APN
Lmax. **5,75** m - Hmax. **1,60** m

4.x R HB V-DA

Lmax. **4,50** m - Hmax. **1,60** m

4.x R HB O-STD

Lmax. **5,75** m - Hmax. **1,60** m

4.x R HB O-PC

Lmax. **4,50** m - Hmax. **1,60** m



4.x R HB O-PCP

Lmax. **6,00** m - Hmax. **1,60** m

4.x R LB NKD

Lmax. **5,75** m - Hmax. **0,42** m

4.x R LB PNL

Lmax. **5,75** m - Hmax. **1,60** m

4.x R LB PNL-C

Lmax. **5,75** m - Hmax. **1,60** m

4.x R LB ADV

Lmax. **4,50** m - Hmax. **1,20** m

Mobile Series - Mobile Serie - Gamme mobile - Serie Mobile

Mobile All Models

3.x R Eco AFI-C Mobile

Lmax. **6,475** m - Hmax. **2,00** m

01.2020
AVANTGATES Products
Published in: January 2020
DCAV01.2020-REV22
© 2020 - SMOES s.r.l.
All rights reserved

GRUPPO GENTILI

www.avantgates.com

Made in ITALY

AVANTGATES®

Vertical Gates - Vertikaltor - Portail à Elévation Verticale - Cancelli ad Alzata Verticale

★★★★★ Oil-Hydraulic POWERED

Industrial Series - Industrietorserie
Gamme Industrielle - Serie Industriale

CE · TÜV SÜD Validated · EN 13241 CERTIFIED · brcgs.com BRCGS compliant



2.x I V-STD
Lmax. **10,00** m - Hmax. **2,00** m

2.x I V-STD Double
Lmax. **20,00** m - Hmax. **2,00** m

2.x I XL
Lmax. **8,50** m - Hmax. **2,50** m

3.x I Evo V-STD
Lmax. **10,00** m - Hmax. **2,00** m

STANDARD Version

DF Version

3.x I Evo V-DA
Lmax. **8,50** m - Hmax. **2,00** m

3.x I Evo V-SA XL
Lmax. **8,50** m - Hmax. **2,50** m



3.x I Evo V-DA XL
Lmax. **8,50** m - Hmax. **2,50** m

3.x I Evo V-STD Double
Lmax. **20,00** m - Hmax. **2,00** m

DF Version

STANDARD Version

3.x I Evo V-DA Double
Lmax. **17,00** m - Hmax. **2,00** m

3.x I Evo O-STD
Lmax. **8,00** m - Hmax. **1,80** m



3.x I Evo O-PC
Lmax. **8,00** m - Hmax. **1,80** m

3.x I AFL-C
Lmax. **8,50** m - Hmax. **2,00** m

3.x I AFL-C Double
Lmax. **8,50** m - Hmax. **2,00** m

4.x I HB V-STD (40-20)
Lmax. **7,50** m - Hmax. **1,60** m

4.x I HB V-STD (100-25)
Lmax. **7,50** m - Hmax. **1,60** m

4.x I HB V-A STD
Lmax. **7,50** m - Hmax. **1,60** m

4.x I HB V-PN
Lmax. **7,50** m - Hmax. **1,60** m

4.x I HB V-APN
Lmax. **7,50** m - Hmax. **1,60** m



4.x I HB V-DA
Lmax. **6,50** m - Hmax. **1,60** m

4.x I HB O-STD
Lmax. **7,50** m - Hmax. **1,60** m



4.x I HB O-PC
Lmax. **6,00** m - Hmax. **1,60** m



4.x I HB O-PCP
Lmax. **7,50** m - Hmax. **1,60** m

Traffic Barriers - Straßenschranken
Barrières Routières - Barriere Stradali

Hydraulic Powered - Hydraulischen Antrieb
Moteur hydraulique - Motorizzazione idraulica



Electromechanical - Elektromechanische
Électromécanique - Elettromeccanico

TB HY XL
Lmax. **10,0** m - Hmax. **1,11** m



TB EM STD
Lmax. **6,0** m - Hmax. **1,01** m

3.x R Eco AFI-TB Mobile
Lmax. **7,2** m - Hmax. **2,00** m

TB EM PRO
Lmax. **8,0** m - Hmax. **1,11** m